

Paper ID Paper Title

- 2 Graphite: GRAPH-Induced feaTure Extraction for Point Cloud Registration
- 11 PanoNet3D: Combining Semantic and Geometric Understanding for LiDAR Point Cloud Detection
- 14 KeystoneDepth: History in 3D
- 18 RocNet: Recursive Octree Network for Efficient 3D Deep Representation
- 22 MonoClothCap: Towards Temporally Coherent Clothing Capture from Monocular RGB Video
- 29 Scene Flow from Point Clouds with or without Learning
- 33 GAM: Guided and Augmented Meshing for Deep Point Networks
- 34 Towards Geometry Guided Neural Relighting with Flash Photography
- 35 Dense Point Diffusion for 3D Object Detection
- 36 Matching-space Stereo Networks for Cross-domain Generalization
- 37 Instant recovery of shape from spectrum via latent space connections
- 38 Using Image Sequences for Long-Term Visual Localization
- 40 KAPLAN: A 3D Point Descriptor for Shape Completion
- 41 Two-Stage Relation Constraint for Semantic Segmentation of Point Clouds
- 45 Global Context Aware Convolutions for 3D Point Cloud Understanding
- 48 Semantic Implicit Neural Scene Representations with Semi-supervised Training
- 51 Precomputed Radiance Transfer for Reflectance and Lighting Estimation
- 53 A Divide et Impera Approach for 3D Shape Reconstruction from Multiple Views
- 56 COALESCE: Component Assembly by Learning to Synthesize Connections
- 59 DynOcc: Learning Single-View Depth Estimation From Dynamic Occlusion Cues
- 64 Motion Annotation Programs: A Scalable Approach to Annotating Kinematic Articulations in Large 3D Shape Collections
- 66 Shape from Tracing: Towards Reconstructing 3D Object Geometry and SVBRDF Material from Images via Differentiable Path Tracing
- 67 Improving Structure from Motion with Reliable Resectioning
- 71 RidgeSfM: Structure from Motion via Robust Pairwise Matching Under Depth Uncertainty
- 73 SCFusion: Real-time Incremental Scene Reconstruction with Semantic Completion
- 75 Reducing Drift in Structure from Motion using Extended Features

78 SF-UDA-3D: Source-Free Unsupervised Domain Adaptation for LiDAR-based 3D Object Detection

79 SMPLY Benchmarking 3D Human Pose Estimation in the Wild

81 LiDAR-based Recurrent 3D Semantic Segmentation with Temporal Memory Alignment

85 A Transformer-based Network for Dynamic Hand Gesture Recognition

86 Deep Depth Estimation on 360-degree Images with a Double Quaternion Loss

95 Deep Learning Based Single-Photon 3D Imaging with Multiple Returns

96 Style Transfer for Keypoint Matching under Adverse Conditions

102 Saliency Guided Subdivision for Single-View Mesh Reconstruction

108 Do End-to-end Stereo Algorithms Under-utilize Information?

109 Fast Discontinuity-Aware Subpixel Correspondence in Structured Light

111 Neural Ray Surfaces for Self-Supervised Learning of Depth and Ego-motion

114 RANP: Resource Aware Neuron Pruning at Initialization for 3D CNNs

116 Depthwise Separable Temporal Convolutional Network for Action Segmentation

118 Self-Supervised 2D Image to 3D Shape Translation with Disentangled Representations

119 Registration Loss Learning for Deep Probabilistic Point Set Alignment

121 Visualizing Spectral Bundle Adjustment Uncertainty

122 Smart Time-Multiplexing of Quads Solves the Multicamera Interference Problem

123 A Progressive Conditional Generative Adversarial Network for Generating Dense and Colored 3D Point Clouds

124 Torch-Points3D: A Modular Multi-Task Framework for Reproducible Deep Learning on 3D Point Clouds

126 Generalized Pose-and-Scale Estimation using 4-Point Congruence Constraints

128 Learning to Infer Semantic Parameters for 3D Shape Editing

129 Deep SVBRDF Estimation on Real Materials

133 Learning Wasserstein Isometric Embedding for Point Clouds

137 RotPredictor: Unsupervised Canonical Viewpoint Learning for Point Cloud Classification

140 LMSCNet: Lightweight Multiscale 3D Semantic Completion

141 NodeSLAM: Neural Object Descriptors for Multi-View Shape Reconstruction

143 A Linear Approach to Absolute Pose Estimation for Light Fields

144 Learning Speech-driven 3D Conversational Gestures from Video

146 Learning Distribution Independent Latent Representation for 3D Face Disentanglement

150 Grasping Field: Learning Implicit Representations for Human Grasps

151 Learning to guide local feature matches

154 Rethinking PointNet Embedding for Faster and Compact Model

156 Recalibration of Neural Networks for Point Cloud Analysis

162 Depth Completion using a View-constrained Deep Prior

163 Learning 3D Faces from Photo-Realistic Facial Synthesis

164 GIF: Generative Interpretable Faces

166 Learning Implicit Surface Light Fields

167 Nighttime Stereo Depth Estimation using Joint Translation-Stereo Learning: Light Effects and Uninformative Regions

170 Underwater Scene Recovery Using Wavelength-Dependent Refraction of Light

171 Screen-space Regularization on Differentiable Rasterization

173 Restoration of Motion Blur in Time-of-Flight Depth Image using Data Alignment

178 Benchmarking Image Retrieval for Visual Localization

181 Generating Person-Scene Interactions in 3D Scenes

182 PeeledHuman: Robust shape representation for textured 3D human body reconstruction

186 Refractive Multi-view Stereo

187 FC-vSLAM: Integrating Feature Credibility in Visual SLAM

188 BP-MVSNet: Belief-Propagation-Layers for Multi-View-Stereo

189 A Novel Depth from Defocus Framework Based on a Thick Lens Camera Model

192 Learning Monocular Dense Depth from Events

194 LM-Reloc: Levenberg-Marquardt based Direct Visual Relocalization

196 Scalable Point Cloud-based Reconstruction with Local Implicit Functions

201 PoseNet3D: Learning Temporally Consistent 3D Human Pose via Knowledge Distillation

205 Deep NRSfM++: Towards Unsupervised 2D-3D Lifting in the Wild

210 Efficient Scene Compression for Visual-based Localization

212 Self-supervised learning of point clouds via orientation estimation

214 Error Bounds of Projection Models in Weakly Supervised 3D Human Pose Estimation

217 Do We Need Depth in State-Of-The-Art Face Authentication?

218 Adversarial Self-Supervised Scene Flow Estimation

219 Self-Supervised Learning of Non-Rigid Residual Flow and Ego-Motion

221 Joint Unsupervised Learning of Optical Flow and Egomotion with Bi-Level Optimization

225 Line Clustering and Description for Place Recognition

226 Towards 3D VR-Sketch to 3D Shape Retrieval

230 Localising In Complex Scenes Using Balanced Adversarial Adaptation

231 Unsupervised Dense Shape Correspondence using Heat Kernels

234 Spatial attention improves iterative 6D object pose estimation

236 Compression and Completion of Animated Point Clouds using Topological Properties of the Manifold

237 Class-unbalanced domain adaptation for object detection via dynamic weighting mechanism

241 Simulated Annealing for 3D Shape Correspondence

243 Learning Rotation-Invariant Representations of Point Clouds Using Aligned Edge Convolutional Neural Networks

244 DeepC-MVS: Deep Confidence Prediction for Multi-View Stereo Reconstruction

246 3D-Aware Ellipse Prediction for Object-Based Camera Pose Estimation

249 Distributed Photometric Bundle Adjustment

257 Time Shifted IMU Preintegration for Temporal Calibration in Incremental Visual-Inertial Initialization

258 Deep Sketch-Based Modelling: Tips and Tricks

263 Introducing Pose Consistency and Warp-Alignment for Self-Supervised 6D Object Pose Estimation in Color Images

264 Towards a MEMS-based Adaptive LIDAR

269 Semantic Deep Face Models

283 Self-supervised Depth Denoising Using Lower- and Higher-quality RGB-D sensors

292 Temporal LiDAR Frame Prediction for Autonomous Driving

296 Adiabatic Quantum Graph Matching with Permutation Matrix Constraints

297 High-Dynamic-Range Lighting Estimation from Face Portraits

308 HyperSLAM: A Generic and Modular Approach to Sensor Fusion and Simultaneous Localization And Mapping in Continuous-Time

309 Convolutional Autoencoders for Human Motion Infilling

315 VIPNet: a fast and accurate single-view Volumetric reconstruction by learning sparse Implicit Point guidance

318 Intrinsic Dynamic Shape Prior for Dense Non-Rigid Structure from Motion

320 Fast Simultaneous Gravitational Alignment of Multiple Point Sets

324 TRANSPR: Transparency Ray-Accumulating Neural 3D Scene Point Renderer

327 A New Distributional Ranking Loss with Uncertainty: Illustrated in Relative Depth Estimation

338 Rotation-Invariant Point Convolution with Multiple Equivariant Alignments.

339 Deep LiDAR localization using optical flow sensor-map correspondences

345 Cycle-Consistent Generative Rendering for 2D-3D Modality Translation

348 3D Deep Learning for Biological Function Prediction from Physical Fields

354 Better Patch Stitching for Parametric Surface Reconstruction

361 Improved Modeling of 3D Shapes with Multi-view Depth Maps

367 Differential Photometric Consistency

377 Correspondence Matrices are Underrated

389 MaskNet: A Fully-Convolutional Network to Estimate Inlier Points

395 Intrinsic Autoencoders for Joint Neural Rendering and Intrinsic Image Decomposition